

# Mining Cables







# Your One Stop Supplier for Mining Cables Mining Grade - Cable Types:

- Type W 2kV (Flat & Round)
- Type G 2kV (Flat & Round)
- Type G-GC 2kV (Flat & Round)
- Type SHD-GC 2, 5, 8,15, 25kV
- Type MP-GC 5, 8,15kV (EPR/CPE & XLP/PVC)
- Type DLO 2kV EPR/CPE UL RHW-2
- Type SOOW
- Welding cables (MSHA approved)
- Special constructions available upon request

# **Advanced Constructions:**

Our Mining Grade Cables are constructed for durability and long life. Cable design features and compound formulations have a far greater impact on performance than the curing method.

# These cables provide the performance you require!


- Thermoplastic Polyurethane (TPU) Jacket Great Colors Extremely Tough .
- Extra Heavy Duty CPE, Neoprene, & CSPE.
- Type MP-GC Cables are Triple Extruded for Enhanced Protection against Corona.
- Type SHD-GC & Type G-GC cables offer Integral filled construction improving Torsion resistance.
- Flat Mining cables offer Square and "D" shaped conductors for longer life.
- \* Type SOOW cables are constructed with rubber fillers to avoid moisture absorption.
- Industry leading approvals & acceptances: MSHA, UL, CSA, ICEA.


# What can you expect from Priority Wire and Cable?

- Highest Quality Products
- Professional Service

Cost Savings

- Multiple Inventory Locations
- On Time Delivery (same day shipment on stock items)





1-800-945-5542

© Priority Wire & Cable, Inc. Little Rock, AR, 2003 PWC01/03

FRONT COVER: Equipment photos courtesy of Joy Mining Machinery.



# TABLE OF CONTENTS

PWC-411, Two Conductor Flat Type W	1
PWC-414, Four Conductor Flat Type W	3
PWC-420, Two Conductor Flat Type G	5
PWC-422, Three Conductor Flat Type G-GC	7
PWC-431, Three Conductor Round Type W	9
PWC-432, Four Conductor Round Type W	11
PWC-442, Three Conductor Round Type G-GC	13
PWC-503, Three Conductor Type SHD-GC, 2,000 Volts	15
PWC-504, Type SHD-PCG Longwall Cables, 2,000 Volts	17
PWC-505, Three Conductor Type SHD-CGC, 2,000 Volts	19
PWC-510, Three Conductor Type SHG, 2,000 Volts	21
PWC-515, Three Conductor Type SHD-GC, 5,000 Volts	23
PWC-516, Type SHD-PCG Longwall Cables, 5,000 Volts	25
PWC-517, Three Conductor Type SHD-GC, 8,000 Volts	27
PWC-519, Three Conductor Type SHD-GC, 15,000 Volts	29
PWC-525, Three Conductor Type SHD-GC, 25,000 Volts	31
PWC-601, Three Conductor Type MP-GC EPR/CPE, 5,000 Volts	33
PWC-602, Three Conductor Type MP-GC EPR/CPE, 8,000 Volts	35
PWC-604, Three Conductor Type MP-GC EPR/CPE, 15,000 Volts	37
PWC-621, Three Conductor Type MP-GC XLP/PVC, 5,000 Volts	39
PWC-622, Three Conductor Type MP-GC XLP/PVC, 8,000 Volts	41
PWC-624, Three Conductor Type MP-GC XLP/PVC, 15,000 Volts	43
Ampacities Table	46

# Important Notice:

Priority Wire & Cable, Inc. believes the information presented in this catalog to be reliable. All information enclosed is done so as a guide for product knowledge and selection. We can make no warranties as to the suitability of any product for any particular use and in no case shall we be held liable for any indirect or incidental damages that may arise from the sale of these products. All information is subject to change and Priority Wire & Cable, Inc. assumes no responsibility for revising this catalog to reflect such changes. The availability of specific products should be confirmed at the time of order and all specifications should be verified upon delivery.

Priority Wire & Cable has a zero return policy on special cut lengths.



# Two Conductor Flat Type W

600/2,000 volts

# Applications:

For use on D.C. off-track mining equipment. Especially designed for D.C. shuttle cars, drills, cutting and loading machines. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

### Insulation

90°C Ethylene-Propylene rubber (EPR)

# Reinforcement

Over assembly

### Jacket :

CPE with permanent surface marking.



Size of Conductor AWG	100000000000000000000000000000000000000	of Wires onductor	Insulation Thickness Mils	Арј		x O.D.	Approx. Weight Ibs. per 1,000 ft.	Ampacity (2) 40°C Ambient Temp.
8	133	7x19	60	.51	Х	.84	340	72
6	133	7x19	60	.56	X	.93	440	95
4	259	7x37	60	.61	Х	1.05	580	127
2	259	7x37	60	.73	Х	1.24	850	167
1	259	7x37	80	.81	X	1.40	1070	191
1/0	259	7x37	80	.93	X	1.51	1310	217
2/0	329	7x47	80	.99	Х	1.63	1600	250
4/0	532	19x28	80	1.10	X	1.89	2300	328

(1) Tolerances- Minor Dimension ± .030 Major Dimension ± .040

(2) Ampacity- Based on 90°C conductor temperature.

For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover

Number of Layers	Multiplying Correction Factors
1	0.85
2	0.65
3	0.45
4	0.35

# Reel correction factors

For use with ampacities when one or more layers of cable are wound on a reel.



# Two Conductor Flat Type W

# **SPECIFICATIONS**

- SCOPE This specification describes 2 conductor flat twin type W portable power cable with ethylene-propylene rubber insulation for use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are intended primarily for use on DC shuttle cars.
- 2. STANDARDS ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM

ASTM B-172 ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-7 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- CIRCUIT IDENTIFICATION Color coding of power conductors shall be black and white in accordance with Par. 3.18.1 of ICEA S-75-381. Stock cables shall have colored insulation.
- 6. REINFORCEMENT Each cable shall have an open braid of synthetic yarn applied over the assembly for reinforcement and to control adhesion and movement between the insulated conductor and the outer jacket.
- 7. JACKET A CPE jacket shall be extruded over the two parallel insulated conductors in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of Table 3-3 of ICEA S-75-381, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 8. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-7, and tolerance shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V Twin (size) Type W MSHA. Additional information can be furnished on the surface legend to special order.
- 10. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Four Conductor Flat Type W

600/2,000 volts

# Applications:

For use on A.C. off-track mining equipment where bare grounding conductors are not required or desired. Especially designed for AC shuttle care service. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

### Insulation

90°C Ethylene-Propylene rubber (EPR) Color coded Black, White, Red, Green

# Reinforcement

Over assembly

### Jacket

CPE with permanent surface marking.



	Power C	Conducto	rs		Approx.	
Size of Conductor AWG	- FLANTS	f Wires inductor	Insulation Thickness Mils	Approx O.D. in. (1)	Weight Ibs. per 1,000 ft.	Ampacity (2) 40°C Ambient Temp
6	133	7x19	60	.68 x 1.71	910	72
4	259	7x37	60	.76 x 1.91	1220	93
2	259	7x37	60	.82 x 2.25	1720	122
1	259	7x37	60	.97 x 2.48	2240	143

(1) Tolerances- Minor Dimension ± .050 Major Dimension ± .080

(2) Ampacity- Based on 90°C conductor temperature.

For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover

Number of Layers	Multiplying Correction Factors
1	0.85
2	0.65
3	0.45
4	0.35

# Reel correction factors

For use with ampacities when one or more layers of cable are wound on a reel.



# Four Conductor Flat Type W

# **SPECIFICATIONS**

- SCOPE This specification describes 4 conductor flat type W portable power cable with ethylene-propylene rubber insulation for
  use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are
  intended primarily for use on AC shuttle cars and roof bolters.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-172

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-14 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- CIRCUIT IDENTIFICATION Color coding of power conductors shall be black, white, red and green in accordance with Par. 3.18.1 of ICEA S-75-381. Stock cables shall have colored insulation.
- 6. **REINFORCEMENT** Each cable shall have an open braid of synthetic yarn applied over the assembly for reinforcement and to control adhesion and movement between the insulated conductor and the outer jacket.
- 7. JACKET A CPE jacket shall be extruded over the four parallel insulated conductors in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 8. OUTSIDE DIAMETER Shall be in accordance with Table 3-14 of ICEA standard S-75-381 and tolerances shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V 4/C (size) Type W MSHA. Additional information can be furnished on the surface legend to special order.
- 10. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Two Conductor Flat Type G

600/2,000 volts

# Applications:

For use on D.C. off-track mining equipment where grounding is required. Especially designed for D.C. shuttle cars, cutting and loading machines. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors Flexible tinned copper Ground Wire Uni-directional lay, flexible tinned copper Insulation 90°C Ethylene-Propylene rubber (EPR) Reinforcement Over assembly Jacket CPE with permanent

surface marking.

Power Conductors				Groundi	ng Conductor		Approx.	Ampacity (2)
Size of Conductor AWG	p	of Wires er ductor	Insulation Thickness Mils	Size AWG	No. of Wires	Approx. O.D. in. (1)	Weight Ibs. per 1,000 ft.	40° C Ambient Temp.
6	133	7x19	60	8	270 6x45	.56 x 1.02	500	95
4	259	7x37	60	7	180 6x30	.61 x 1.15	660	127
2	259	7x37	60	5	168 6x28	.73 x 1.35	990	167
1	259	7x37	80	4	168 6x28	.81 x 1.55	1230	191
1/0	259	7x37	80	3	204 6x34	.93 x 1.67	1540	217
2/0	329	7x47	80	2	246 6x41	.99 x 1.85	1870	250
4/0	532	19x28	80	1/0	342 6x57	1.10 x 2.10	2600	328

(1) Tolerances- Minor Dimension ± .030 Major Dimension ± .040

For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover

(2) Ampacity- Based on 90°C conductor temperature.

Number of Layers	Multiplying Correction Factors
1	0.85
2	0.65
3	0.45
4	0.35

# Reel correction factors

For use with ampacities when one or more layers of cable are wound on a reel.

5



# **Two Conductor Flat Type G**

# **SPECIFICATIONS**

- SCOPE This specification describes 2 conductor flat twin type G Portable power cable with ethylene-propylene rubber insulation
  for use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are intended
  primarily for use on DC shuttle cars, cutting machines, loading machines, roof bolters and drills.
- 2. STANDARD

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-172

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-7 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 5. CIRCUIT IDENTIFICATION Color coding of power conductors shall be black and white in accordance with Par. 3.18.1 of ICEA S-75-381. Stock cables shall have colored insulation.
- 6. GROUNDING CONDUCTOR The grounding conductor shall be annealed tin coated copper of not less than the size listed in Table 3-7 of ICEA S-75-381 for the corresponding power conductor sizes. The grounding conductor shall be covered with a green TPE.
- 7. ASSEMBLY Two insulated conductors are laid parallel with the grounding conductor between them.
- 8. **REINFORCEMENT** Each cable shall have an open braid of synthetic yarn applied over the assembly for reinforcement and to control adhesion and movement between the insulated conductor and the outer jacket.
- 9. JACKET A CPE jacket shall be extruded over the two parallel insulated conductors and ground in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 10. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-7, and tolerances shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- 11. SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V Twin (size) Type G MSHA. Additional information can be furnished on the surface legend to special order.
- 12. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Flat Type G-GC

600/2,000 Volts

# Applications:

For use on A.C. off-track mining equipment. Especially designed for A.C. shuttle car service. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

### Conductors

Flexible tinned copper

### **Ground Wire**

Uni-directional lay, flexible tinned copper

### Ground Check

Uni-directional lay 8 AWG 270W-6x45 Flexible tinned copper with yellow insulation

# Insulation

90°C Ethylene-Propylene rubber

# Reinforcement

Over assembly

# Jacket

CPE with permanent surface marking.

Power Conductors			Groundi	ng Cond	ductor		Approx.	Ampacity (2)	
Size of Conductor AWG	F	of Wires per ductor	Insulation Thickness Mils	Size AWG	No. Wir	of	Approx. O.D. in. (1)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
6	133	7x19	60	8	270	6x45	.67 x 1.69	940	79
4	259	7x37	60	7	180	6x30	.75 x 1.89	1240	104
2	259	7x37	60	5	168	6x28	.81 x 2.23	1690	138
1	259	7x37	80	4	168	6x28	.97 x 2.48	2170	161
1/0	259	7x37	80	3	204	6x34	1.01 x 2.67	2550	186
2/0	329	7x47	80	2	246	6x41	1.10 x 2.86	3040	215
4/0	532	19x28	80	1/0	342	6x57	1.24 x 3.30	4250	287

(1) Tolerances- Minor Dimension ± .050 Major Dimension ± .080 For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover

(2) Ampacity- Based on 90°C conductor temperature.

Number of Layers	Multiplying Correction Factors
1	0.85
2	0.65
3	0.45
4	0.35

### Reel correction factors

For use with ampacities when one or more layers of cable are wound on a reel.

7



# **Three Conductor Flat Type G-GC**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 3 conductor flat type G-GC portable power cable with ethylene-propylene rubber insulation for use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are intended for use on off track equipment such as continuous miners, AC shuttle cars, cutting machines, loading machines and drills.
- 2. STANDARD ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM B-172 ASTM B-33
- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be a ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-13 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 5. CIRCUIT IDENTIFICATION Color coding of power conductors shall be black, white and red in accordance with Par. 3.18.1 of ICFA S-75-381. Stock cables shall have colored insulation.
- 6. GROUNDING CONDUCTOR The grounding conductor shall be annealed tin coated copper of not less than the size shown in Table 3-13 of ICEA S-75-381 for the corresponding power conductor sizes. The grounding conductor shall be covered with extruded oreen TPE. The stranding shall be uni-directional lay.
- 7. GROUND CHECK CONDUCTOR The ground check conductor shall be 8AWG as given in Table 3-13 of ICEA S-75-381 with 270 strands of tinned annealed copper. The conductor shall have a yellow TPE insulation. The stranding shall be uni-directional lay.
- 8. ASSEMBLY Three power conductors shall be laid parallel with the ground check conductor between the black and white power conductors and grounding conductor between the white and red power conductors.
- 9. **REINFORCEMENT** Each cable shall have an open braid of synthetic yarn applied over the assembly for reinforcement to control adhesion and movement between the insulated conductor and the outer jacket.
- 10. JACKET A CPE jacket shall be extruded over the parallel assembly of conductors in accordance with Par. 3.21 of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-13 and tolerances shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V 3/C Type G-GC MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Round Type W

600/2,000 Volts

# Applications:

Especially suitable for non-automatic reeling, or as a "drag" cable where bare grounding conductors are not required or desired. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

Col	nduct	tors

Flexible tinned copper

# Insulation

90°C Ethylene-Propylene rubber (EPR)

### Jacket

Reinforced CPE with permanent surface marking (2).



Size of Conductor AWG or MCM	F	of Wires per ductor	Insulation Thickness Mils	Approx. O.D. In.	Diameter Tolerance Plus & Minus in.	Approx Weight Ibs. per 1,000 ft.	Ampacity (1) 40° C Ambient Temp.
8	133	7x19	60	.91	0.03	550	59
6	133	7x19	60	1.01	0.03	730	79
4	259	7x37	60	1.17	0.03	1020	104
2	259	7x37	60	1.34	0.03	1430	138
1	259	7x37	80	1.51	0.03	1800	161
1/0	266	19x14	80	1.65	0.04	2140	186
2/0	342	19x18	80	1.75	0.04	2580	215
4/0	532	19x28	80	2.04	0.05	3800	287

- (1) Ampacity- Based on 90°C conductor temperature. For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover
- (2) Jacket- Black is standard. Colored jackets available upon request. Thermoplastic polyurethane (TPU) also available.



# **Three Conductor Round Type W**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 3 conductor round type W portable power cable with ethylene-propylene rubber insulation for use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are intended for use on DC equipment where bare grounding conductors are not required or desired, such as shuttle cars, drills, pumps, etc.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-172

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-9 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- CIRCUIT IDENTIFICATION Color coding of power conductors shall be black, white and green in accordance with Par. 3.18.1 of ICEA S-75-381. Stock cables shall have colored insulation.
- **6. ASSEMBLY** Three power conductors shall be cabled together with a left-handed lay meeting the requirements of Table 3-5 of ICEA S-75-381. A cured rubber filler is placed in each valley, with a synthetic binder overall.
- 7. JACKET A reinforced CPE jacket providing an integral fill shall be extruded over the assembly in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistant to heat, moisture and the oils commonly used in mining applications.
- OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-9, and tolerances shall meet the requirements of ICEA Par. 3.22.2.
- SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V 3/C (size) Type W MSHA. Additional information can be furnished on the surface legend to special order.
- 10. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Four Conductor Round Type W

600/2,000 Volts

# Applications:

Especially suitable for non-automatic reeling, or as a "drag" cable where bare grounding conductors are not required or desired. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

Conductors Flexible tinned copper	
Insulation ————————————————————————————————————	
Jacket ————————————————————————————————————	

Size of Conductor AWG	No. of Wires per Conductor		Insulation Thickness Mils	Approx. O.D. in.	Diameter Tolerance Plus & Minus Inches	Approx. Weight Ibs. per 1,000 ft.	Ampacity (1) 40° C Ambient Temp.	
8	133	7x19	60	.99	0.03	670	54	
6	133	7x19	60	1.10	0.03	890	72	
4	259	7x37	60	1.27	0.03	1250	93	
2	259	7x37	60	1.48	0.03	1800	122	
1	259	7x37	80	1.68	0.03	2270	143	
1/0	266	19x14	80	1.79	0.04	2680	165	
2/0	342	19x18	80	1.93	0.04	3200	192	
4/0	532	19x28	80	2.26	0.05	4650	255	

(1) Ampacity- Based on 90°C conductor temperature. For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover.

Note: When 4/C cable is used on A.C. and one for the insulated conductors is used as a grounding conductor, the ampacities for 3/C Type W may be used.

(2) Jacket- Black is standard. Colored jackets available upon request. Thermoplastic polyurethane (TPU) also available.



# **Four Conductor Round Type W**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 4 conductor round type W portable power cable with ethylene-propylene rubber insulation for use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are intended for use on AC equipment where bare grounding conductors are not required or desired, such as shuttle cars, drills, pumps, etc.
- 2. STANDARDS

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-10 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- CIRCUIT IDENTIFICATION Color coding of power conductors shall be black, white, red and green in accordance with Par. 3.18.1 of ICEA S-75-381. Stock cables shall have colored insulation.
- 6. ASSEMBLY Four power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. A cured rubber filler is placed in each valley with a synthetic binder overall.
- 7. JACKET A reinforced CPE jacket providing an integral fill shall be extruded over the assembly in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 8. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-10 and tolerances shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V 4/C (size) Type W MSHA. Additional information can be furnished on the surface legend to special order.
- 10. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Round Type G-GC

600/2,000 Volts

# Applications:

Especially suitable for use with mobile mining equipment such as continuous miners, drills, cutters, loading machines, and AC shuttle cars. The type G-GC is for applications where grounding conductors and a ground check conductor are required. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

### Insulation

90°C Ethylene-Propylene rubber (EPR)

### **Ground Wires**

Flexible tinned copper

# **Ground Check**

Flexible tinned copper with yellow insulation (1).

### Jacket -

Reinforced CPE with permanent surface marking (3).

	Po	wer Con	ductors	Groun	ding C	onductor		Diameter	Approx.	Ampacity (2)
Size AWG/ MCM	Strar	nding	Insulation Thickness Mils	Size AWG	Minimum No. of Wires per Conductor		Approx. O.D. in.	Tolerance Plus & Minus In.	Weight Ibs. per 1,000 ft.	40° C Ambient Temp.
8	133	7x19	60	10	49	7x7	.97	0.03	600	59
6	133	7x19	60	10	49	7x7	1.05	0.03	750	79
4	259	7x37	60	8	133	7x19	1.19	0.03	1070	104
2	259	7x37	60	7	133	7x19	1.34	0.03	1480	138
1	259	7x37	80	6	133	7x19	1.51	0.03	1890	161
1/0	266	19x14	80	5	133	7x19	1.65	0.04	2340	186
2/0	342	19x18	80	4	259	7x37	1.75	0.04	2750	215
4/0	532	19x28	80	2	259	7x37	2.04	0.05	3980	287
250	627	19x33	95	2	259	7x37	2.39	0.06	5000	320
350	888	37x24	95	1/0	266	19x14	2.68	0.06	6750	394
500	1221	37x33	95	2/0	342	19x18	3.03	0.06	8900	487

- (1) Ground Check- 10 AWG (minimum 49 strand 7x7) ground check conductor on 8 AWG through 2 AWG cable.
- 8 AWG (minimum 133 strand 7x19) ground check conductor on 1 AWG through 4/0 AWG cable.
- 6 AWG (minimum 133 strand 7x19) ground check conductor on 250 MCM and larger cable.
- (2) Ampacity- Based on 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.
- (3) Jacket- Black is standard. Colored jackets available upon request. Thermoplastic polyurethane (TPU) also available.



# **Three Conductor Round Type G-GC**

# **SPECIFICATIONS**

- SCOPE This specification describes 3 conductor round type G-GC portable power cable with ethylene-propylene rubber insulation for
  use on circuits not exceeding 2000 volts at a maximum continuous conductor temperature of 90°C. These cables are intended for use on
  AC off track equipment such as continuous miners, shuttle cars, cutting machines, loading machines and drills, as well as conveyors
  and pumps.
- **2.** STANDARDS ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM B-172 ASTM B-33
- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-12 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- CIRCUIT IDENTIFICATION Color coding of power conductors shall be black, white and red in accordance with Par. 7.2.15.1 of ICEA. Stock cables shall have colored insulation.
- 6. GROUNDING CONDUCTORS The grounding conductors shall be annealed tin coated copper of not less than the size and number of wires in Table 3-12 of ICEA S-75-381 for the corresponding power conductor sizes. Each grounding conductor shall be covered with a green Mylar tape.
- 7. GROUND CHECK CONDUCTOR The ground check conductor shall be as given in Table 3-12 of ICEA S-75-381 for the corresponding power conductor sizes. A minimum of 49 strands of annealed copper shall be used. The conductor shall have a yellow TPE insulation.
- 8. ASSEMBLY CORE Sizes 4/OAWG and smaller: Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381, the ground check conductor shall be laid in the valley between the black and white power conductors, a tinned copper grounding conductor in each of the other two valleys and a synthetic reinforcing binder overall. This assembly will provide integral filling when the jacket is applied. Sizes 250MCM and larger: Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381, the ground check conductor shall be laid in the valley between the black and white power conductors and a tinned copper grounding conductor in each of the other two valleys, with cured rubber fillers as required to make an essentially round core, synthetic binder and a single faced rubber filled binder tape applied overall.
- 9. JACKET A CPE jacket shall be extruded over the assembly in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 10. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-12, and tolerances shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- 11. SURFACE LEGEND Shall be embossed in the jacket showing 600/2000V 3/C (size) Type G-GC MSHA. Additional information can be furnished on the surface legend to special order.
- TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHD-GC

2,000 Volts

# Applications:

Heavy duty portable power cable for use in circuits not exceeding 2,000 volts. Equipment such as longwall miners, continuous miners, loaders, drills, conveyors, pumps, and mobile equipment requiring grounding conductors, a ground check conductor, and metallic shielding overall. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating acceptance as flame resistant by the Pennsylvania Department of Environmental Resources and the Mine Safety and Health Administration.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

Separator Tape

### Insulation

90°C Ethylene-Propylene rubber (EPR)

Tape colored rubber filled

# Insulation Shielding

Tinned copper and color coded nylon braid

### **Ground Check Conductor**

Flexible tinned copper with yellow insulation (1)

### **Ground Wires**

Flexible tinned copper

### Jacket

Reinforced CPE with permanent surface marking (2).

	Po	wer Con	ductors	Ground	ding Co	onductor			Approx.	Ampacity (4)
Size AWG/ MCM	Stra	anding	Insulation Thickness Mils	Minimum No. Size of Wires per AWG Conductor		Jacket Thickness Mils	Nominal Diameter In. (3)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.	
6	133	7x19	70	10	49	7x7	155	1.29	1160	93
4	259	7x37	70	8	133	7x19	155	1.40	1490	122
2	259	7x37	70	6	133	7x19	170	1.59	2000	159
1	259	7x37	80	5	133	7x19	190	1.76	2450	184
1/0	266	19x14	80	4	259	7x37	190	1.86	2840	211
2/0	342	19x18	80	3	259	7x37	205	2.00	3400	243
4/0	532	19x28	80	1	259	7x37	220	2.31	4860	321
250	627	19x33	95	1/0	266	19x14	220	2.51	5950	355
350	888	37x24	95	2/0	342	19x18	235	2.81	7400	435
500	1221	37x33	95	4/0	532	19x28	265	3.19	10100	536

- (1) Ground Check- 10 AWG (minimum 49 strand 7x7) ground check conductor on 6 AWG through 4 AWG cable.
- 8 AWG (minimum 133 strand 7x19) ground check conductor on 2 AWG through 4/0 AWG cable.
- 6 AWG (minimum 133 strand 7x19) ground check conductor on 250 MCM and larger cable.
- (2) Jacket- Black is standard. Colored jackets available upon request. Thermoplastic polyurethane (TPU) also available.
- (3) Diameters- Subject to plus or minus 3% tolerance.
- (4) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover

15



# **Three Conductor Type SHD-GC**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 3 conductor round type SHD-GC shielded power cable with ethylene-propylene rubber insulation for use at a maximum continuous conductor temperature of 90°C. These cables are intended for use on longwall mining equipment, continuous miners, cutting machines, loading machines and drills, as well as conveyors and pumps.
- 2. STANDARDS
- ICEA S-68-516/NEMA WC-8
- ICEA S-75-381/NEMA WC-58
- ASTM B-172

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation. The average thickness of the insulation wall over the conductor shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.
- 5. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/nylon braid applied over a lapped non-conducting bedding tape on each conductor. Both the tape, and the nylon in the shielding braid, are colored black, white, and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2. A full tinned copper braid shield with 84% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.1 can be furnished to order.
- 6. **GROUNDING CONDUCTORS** The grounding conductors shall be annealed tin coated copper of not less than the size and number of wires in Table 3-24 of ICEA S-75-381 for the corresponding power conductor sizes.
- 7. GROUND CHECK CONDUCTOR The ground check conductor shall be as given in Table 3-21 of ICEA S-75-381 for the corresponding power conductor size except that we shall use 6AWG in lieu of 8AWG minimum on sizes 250 MCM and larger. A minimum of 49 strands of annealed copper shall be used. The conductor shall have a yellow polypropylene insulation.
- 8. ASSEMBLY CORE Sizes 4/OAWG and smaller: Three conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381, the ground check conductor shall be laid in the valley between the black and white power conductors, a bare tinned copper grounding conductor in each of the other two valleys and a synthetic reinforcing binder overall. This assembly will provide integral filling when the jacket is applied. Size 250MCM and larger: Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a bare tinned copper grounding conductor in each of the other two valleys, with cured rubber fillers as required to make an essentially round core, synthetic binder and a single faced rubber filled binder tape applied overall, so that it will adhere to the underside of the outer jacket.
- 9. JACKET A reinforced CPE jacket shall be extruded over the assembly in accordance with Par. 3.21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 10. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-21. (Note ICEA S-75-381 Par. 3.22.2 allows ±5% tolerance.)
- 11. Surface Legend

Shall be embossed in the jacket showing 2000V 3/C (size) Type SHD-GC MSHA. Additional information can be furnished on the surface legend to special order.

12. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Type SHD-PCG Longwall Cables

2,000 Volts

# Applications:

Heavy duty portable power cable designed for use to power longwall shearers, where three shielded power conductors, three unshielded control conductors, and a grounding conductor are required. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

Power Conductors
Flexible tinned copper

Separator Tape

Insulation

90°C Ethylene-Propylene rubber (EPR)

**Ground Wires** 

Flexible tinned copper

Control Group 3 Conductors

Flexible tinned copper, Ethylene-Propylene rubber Insulation color coded black,white, red, and overall, a thermosetting jacket

Tape colored rubber filled

Insulation Shielding

Tinned copper and color coded nylon braid

Jacket

						Re	einforced Cl rmanent su	PE with rface marking	,	
Power Conductors Size of No. of Wires Conductor per AWG (3) Conductor			Groundi Size AWG	N	nductor lo. of Vires	Control Size AWG	No. of Wires p	Nominal er O.D.	Approx. Weight Ibs. per 1,000 ft.	Ampacity (2) 40° C Ambient
2/0	342	19x18	2	246	6x41	8	133 7x	(.)	3950	<b>Temp.</b> 243
4/0	532	19x28	1/0	426	6x71	6	133 7x		5750	321

- (1 ) Diameters- Subject to plus or minus 3% tolerance
- (2) Ampacity- Based on 90°C conductor temperature. For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover.
- (3) Other sizes available.



# Type SHD-PCG Longwall Cables

# **SPECIFICATIONS**

- SCOPE This specification describes a type SHD-PCG longwall cable containing three shielded power conductors, a three conductor nonshielded control group and one central grounding conductor. It is intended for use on longwall mining equipment at a maximum continuous conductor temperature of 90°C.
- 2. STANDARDS ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM B-172 ASTM B-33
- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the power conductors shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 5. CIRCUIT IDENTIFICATION AND SHIELDING

  The power conductor shielding system shall consist of a tinned copper/nylon braid applied over a lapped non-conducting bedding tape on each conductor. Both the tape, and the nylon in the shielding braid, are colored black, white, and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2.
- **6. GROUNDING CONDUCTOR** The grounding conductor shall be annealed tin coated copper of not less than the size shown in Table 3-17 of ICEA S-75-381 for the corresponding power conductor sizes.
- 7. CONTROL GROUP The control group shall consist of 3 flexible 133 wire 7 X 19 strand tinned copper conductors, with .045" ethylene propylene rubber insulation, color coded black, white and red. The 3 insulated control conductors shall be cabled, and overall, a thermosetting integral fill jacket to a diameter compatible with the shielded power conductors.
- 8. ASSEMBLY CORE Three shielded power conductors and one 3 conductor control group shall be cabled around a single grounding conductor, with the control group between the red and black shielded power conductors and a synthetic binder to hold the core assembly together.
- 9. JACKET A reinforced two layer thermosetting jacket providing an integral fill shall be extruded over the assembly in accordance with Par. 3.21 &Table 3-23 of ICEA-S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of ICEA S-75-381 Table 3-3 and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 10. OUTSIDE DIAMETER Shall be in accordance with the dimensions shown on the front of this sheet. (Note ICEA S-75-381 Par.3.22.2 allows +5% tolerance.)
- 11. SURFACE LEGEND Shall be embossed in the jacket showing 2 KV (size) Type SHD-PCG Longwall MSHA. Additional information can be furnished on the surface legend to special order.
- 12. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHD-CGC

2,000 Volts

# Applications:

Heavy duty portable power cable for use in circuits not exceeding 2,000 volts. Equipment such as longwall miners, continuous miners, loaders, drills, conveyors, pumps, and other mobile equipment requiring grounding conductors, a ground check conductor, and metallic shielding overall. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating acceptance as flame resistant by the Pennsylvania Department of Environmental Resources and the Federal Mine Safety and Health Administration.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

# **Separator Tape**

Insulation -

90°C Ethylene-Propylene rubber (EPR)

# **Ground Check Conductor**

Located in the center of the conductor (1)

Tape colored rubber filled

# Insulation Shielding

Tinned copper and color coded nylon braid

# **Ground Wires**

Flexible tinned copper

### Jacket

Reinforced CPE with permanent surface marking (2).

	Po	wer Con	ductors	Ground	ding Co	nductor			Approx.	Ampacity (4)
Size AWG/ MCM	1	anding	Insulation Thickness Mils				Jacket Thickness Mils	Nominal Diameter In. (3)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
2/0	342	19x18	80	5	133	7x19	205	2.09	3400	243
4/0	532	19x28	80	3	259	7x37	220	2.36	4860	321
350	888	37x24	95	1	259	7x37	250	2.81	7400	435

- (1) Ground Check- 16 AWG tinned copper conductor designed to withstand extreme flexing and be extensible insulated with yellow polypropylene.
- (2) Jacket- Black is standard. Colored jackets are available on request. Thermoplastic polyurethane (TPU) also available.
- (3) Diameters- Subject to plus or minus 3% tolerance.
- (4) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover



# **Three Conductor Type SHD-CGC**

# **SPECIFICATIONS**

- SCOPE This specification describes 3 conductor round type SHD-CGC shielded power cable with 3 ethylene-propylene rubber insulated
  power conductors for use at a maximum continuous conductor temperature of 90°C, 3 grounding conductors and 1 center ground check
  conductor. These cables are intended for use on longwall mining equipment, continuous miners, cutting machines, loading machines,
  conveyors, etc.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM B-172 ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation. The average thickness of the insulation wall over the conductor shall be as specified in Table 3-22 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.
- 5. CIRCUIT IDENTIFICATION AND SHIELDING

The shielding system shall consist of a tinned copper/nylon braid applied over a lapped non-conducting bedding tape on each conductor. Both the tape, and the nylon in the shielding braid, are colored black, white, and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2. A full tinned copper braid shield with 84% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.1 can be furnished to order.

- 6. GROUNDING CONDUCTORS The grounding conductors shall be annealed tin coated copper of not less than the size and number of wires in Table 3-22 of ICEA S-75-381 for the corresponding power conductor sizes.
- 7. GROUND CHECK CONDUCTOR The center ground check conductor shall be 16AWG and consist of tinned copper strands laid around a nonmetallic core and designed to be extensible and withstand extreme flexing in accordance with Par. 3.12.2 of ICEA S-75-381.
  The conductor shall have yellow polypropylene insulation in accordance with Table 3-22 of ICEA S-75-381.
- 8. ASSEMBLY CORE Sizes 4/OAWG and smaller: Three conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381, the ground check conductor shall be laid in the center of the assembly with a bare tinned copper grounding conductor in each of the three valleys and a synthetic reinforcing binder overall. This assembly will provide integral filling when the jacket is applied.

Sizes 250MCM and larger: Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381, the ground check conductor shall be laid in the center of the assembly with a bare tinned copper grounding conductor in each of the three valleys, cured rubber fillers as required to make an essentially round core, synthetic binder and a single faced rubber filled binder tape applied overall, so that it will adhere to the underside of the outer jacket.

- 9. JACKET A reinforced thermosetting jacket shall be extruded over the assembly in accordance with Table 3-22 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 10. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-22. (Note ICEA S-75-381 Par. 3,22,2 allows ±5% tolerance.)
- 11. SURFACE LEGEND Shall be embossed in the jacket showing 2000V 3/C (size) Type SHD-CGC MSHA. Additional information can be furnished on the surface legend to special order.
- 12. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHG

2,000 Volts

Applications:

Heavy duty portable power cable for use in circuits not exceeding 2000 volts. Especially designed for use on continuous miners requiring grounding conductors and metallic shielding over each conductor. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating acceptance as flame resistant by the Pennsylvania Department of Environmental Resources and the Mine Safety and Health Administration.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors Flexible tinned copper Insulation 90°C Ethylene-Propylene rubber (EPR) Tape Colored rubber filled Ground Wires Flexible tinned copper Insulation Shielding Tinned copper and textile braid Bridge Wall Semi-conductive thermoset compound

Jacket -

Reinforcement

Reinforced CPE with permanent surface marking.

F	Power Conductors		rs	Ground	ing Cond	ductor		Approx.	Ampacity (2)
Size of Conductor AWG	Strar	ıding	Insulation Thickness Mils	Size AWG	No. o	mum f Wires enductor	Approx. O.D. in.	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
2/0	329	7x47	80	3	204	6x34	1.175x2.990	3600	243

(1) Tolerances- Minor Dimension ± .050 Major Dimension ± .080

(2) Ampacity- based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover



# **Three Conductor Type SHG**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 3 conductor flat type SHG shielded power cable with ethylene-propylene rubber insulation for use at a maximum continuous conductor temperature of 90°C. This cable is intended primarily for use on continuous miners.
- 2. STANDARDS ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM B-172 ASTM B-33
- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 5. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/textile braid applied over a lapped color coded non-conducting bedding tape on each conductor. The tapes are colored black, white and red in accordance with ICEA S-75-381 Par. 3.18. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2.
- 6. **GROUNDING CONDUCTORS**".135" X .580"" dimensions.

  The grounding conductors shall be 3AWG (6X34) annealed tin coated copper shaped to approximately
- ASSEMBLY Three shielded power conductors are laid parallel with a grounding conductor between the black and white power conductors and a second grounding conductor between the white and red power conductors.
- 8. JACKET The area between all components filled with a semi-conductive thermosetting compound allowing approximately .020" bridgewall between each. Two open reverse wraps of synthetic reinforcement, and overall a .240" jacket of black extra heavy duty CPE are applied over the core. The jacket shall meet the requirements of ICEA S-75-381 Par. 3.2.1 and Table 3-3. The jacket has a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 9. OUTSIDE DIAMETER Dimensions shall be 1.175"x2.990". Tolerance shall meet the requirements of ICEA S-75-381 Par. 3.22.2.
- 10. SURFACE LEGEND Shall be embossed in the jacket showing " 2KV 3/C 2/0 Type SHG MSHA".
- 1 1. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHD-GC

5,000 Volts

# Applications:

Heavy duty high voltage portable power cable for use in circuits not exceeding the rated voltage. These cables are used for heavy mobile equipment such as drag lines, shovels, dredges, drills, other off track equipment, and for power feeders in underground mines. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating acceptance as flame resistant by the Pennsylvania Department of Environmental Resources and the Mine Safety and Health Administration.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

### Strand Shield

Semi-conducting layer

### Insulation

90°C Ethylene-Propylene rubber (EPR)

### Insulation Shielding

Color coded non-conducting tape under tinned copper and color coded nylon braid.

# **Ground Check Conductor**

Flexible tinned copper with yellow insulation (1)

# **Ground Wires**

Flexible tinned copper

### Jacket

Reinforced CPE with permanent surface marking (2).

	Pov	ver Cond	luctors	Groun	ding Co	onductor			Approx.	Ampacity (5)
Size AWG/ MCM	Wire	nber of es per uctor (4)	Insulation Thickness Mils	Size AWG	of Wi	um No. res per ductor	Jacket Thickness Mils	Nominal Diameter In. (3)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
6	133	7x19	110	10	49	7x7	185	1.56	1560	93
4	259	7x37	110	8	133	7x19	185	1.68	1920	122
2	259	7x37	110	6	133	7x19	205	1.87	2500	159
1	259	7x37	110	5	133	7x19	205	1.95	2860	184
1/0	266	19x14	110	4	259	7x37	220	2.08	3390	211
2/0	342	19x18	110	3	259	7x37	220	2.20	3830	243
4/0	532	19x28	110	1	259	7x37	235	2.50	5300	321
250	627	19x33	120	1/0	266	19x14	250	2.69	6450	355
350	888	37x24	120	2/0	342	19x18	265	2.95	7880	435
500	1221	37x33	120	4/0	532	19x28	280	3.31	10440	536

(1) Ground Check- 8 AWG (minimum 133 strand 7x19) ground check conductor on 6 AWG through 4/0 AWG cable.

6AWG (minimum 133 strand 7x19) ground check conductor on 250 MCM and larger cable.

2) Jacket- Black is standard. Colored jackets available upon request. Thermoplastic polyurethane (TPU) also available.

- (3) Diameters- Subject to plus 8% minus 5% tolerance.
- (4) Alternate strand constructions for power conductors: 1/0 AWG through 4/0 AWG 259 wire 37x7 4/0 AWG through 500 MCM 427 wire 61x7
- (5) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover



# **Three Conductor Type SHD-GC**

# **SPECIFICATIONS**

- SCOPE This specification describes 3 conductor round type SHD-GC shielded power cable with ethylene-propylene rubber
  insulation for use at a maximum continuous conductor temperature of 90°C. These cables are intended for use as power feeders on
  AC surface equipment such as drag lines, shovels, drills and in underground mines as portable power feeders, power to boring
  machines, longwall mining equipment, etc.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICFA S-75-381/NFMA WC-58

**ASTM B-172** 

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Conducting layer over the conductor meeting the requirements of Par 3.14 of ICEA S-75-381.
- 5. INSULATION The insulation shall be a ethylene-propylene rubber (EPR) extruded insulation. The average thickness of the insulation wall over the conductor shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.
- 6. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/nylon braid applied over a lapped color-coded non-conducting tape on each conductor. The nylon in the shielding braid, is colored black, white, and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2. A full tinned copper braid shield with 84% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.1 can be furnished to order.
- GROUNDING CONDUCTORS The grounding conductors shall be annealed tin coated copper of not less than the size and number
  of wires in Table 3-24 of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. GROUND CHECK CONDUCTOR The ground check conductor shall be as given in Table 3-21 of ICEA S-75-381 for the corresponding power conductor sizes, except that we shall use #6AWG in lieu of 8AWG minimum on 250MCM and larger. A minimum of 133 strands of annealed copper shall be used. The conductor shall have a yellow polypropylene insulation. Larger than standard size ground check conductors can be furnished when desired and/or necessary due to operating conditions.
- 9. ASSEMBLY CORE Standard Stock construction.-Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a bare tinned copper grounding conductor in each of the other two valleys, with cured rubber fillers as required to make an essentially round core. A synthetic binder and a single faced rubber filled binder tape will be applied overall, so that it will adhere to the underside of the outer jacket. When used on longwall shearers the following core assembly is recommended:Sizes 4/OAWG and smaller: Three conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors, a bare tinned copper grounding conductor in each of the other two valleys and a synthetic binder overall. Filling will be integral with the first layer of the jacket with this construction.
- 10. JACKET A reinforced thermosetting jacket shall be extruded over the assembly in accordance with Table 3-21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE black or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Table 3-3 and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-21, and tolerance in accordance with ICEA S-75-381 Par. 3.22.2.
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 5KV 3/C (size) Type SHD-GC MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Type SHD-PCG Longwall Cables

5,000 Volts

# Applications:

Heavy duty portable power cable designed for use to power longwall shearers, where three shielded power conductors, three unshielded control conductors, and a grounding conductor are required. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

### Strand Shield

Semi-conducting layer

### Insulation

90°C Ethylene-Propylene rubber (EPR)

### **Ground Wire**

Flexible tinned copper

# Control Group 3 Conductors

Flexible tinned copper, ethylene propylene rubber insulation color coded black, white, red and overall a thermosetting jacket.

# Insulation Shielding

Color coded non-conducting tape under tinned copper and color coded nylon braid.

### Jacket

Reinforced CPE with permanent surface marking.

Power	Condu	ictors	Groundin	g Conductor	Control	Conductors		Approx.	Ampacity (2)
Size of Conductor AWG	1	of Wires per ductor	Size AWG	No. of Wires	Size AWG	No. of Wires per Conductor	Nominal O.D.		40° C Ambient Temp.
2	259	7x37	5	168 6x28	8	133 7x19	2.03	3020	159
1/0	266	19x14	3	222 6x37	8	133 7x19	2.27	3850	211
2/0	342	19x18	2	246 6x41	8	133 7x19	2.45	4550	243
4/0	532	19x28	1/0	426 6x71	6	133 7x19	2.93	6300	321

(1) Diameters- Subject to plus or minus 3% tolerance

(2) Ampacity- Based on 90°C conductor temperature. For other ratings under various conditions, see portable power cable ampacities table Inside Back Cover.



# **Type SHD-PCG Longwall Cables**

# **SPECIFICATIONS**

- SCOPE This specification describes a type SHD-PCG longwall cable containing three shielded power conductors, a three conductor nonshielded control group and one central grounding conductor. It is intended for use on longwall mining equipment at a maximum continuous conductor temperature of 90°C.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-172

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material.
- 5. **INSULATION** The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the power conductors shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/nylon braid applied over a lapped color-coded non-conducting tape on each conductor. The nylon in the shielding braid is colored black, white and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2.
- GROUNDING CONDUCTOR The grounding conductor shall be annealed tin coated copper of not less than the size shown in Table 7.2-12 of ICEA for the corresponding power conductor sizes.
- 8. **CONTROL GROUP** The control group shall consist of 3 flexible 133 wire 7x19 strand tinned copper conductors, with .045" ethylene propylene rubber insulation, color coded black, white and red. The 3 insulated control conductors shall be cabled, and overall, a thermosetting integral fill jacket to a diameter compatible with the shielded power conductors.
- 9. ASSEMBLY CORE Three shielded power conductors and one 3 conductor control group shall be cabled around a single grounding conductor with the control group between the red and black shielded power conductors and a synthetic binder to hold the core assembly together.
- 10. JACKET A reinforced two layer thermosetting jacket providing an integral fill shall be extruded over the assembly in accordance with Table 3-23 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Par. 3.21 and Table 3-3 and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sun light and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with the dimensions shown on the front of this sheet. (Note ICEA S-75-381 Par. 3.22.2 allows +8% -5% tolerance.)
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 5KV (size) Type SHD-PCG Longwall MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHD-GC

8,000 Volts

# Applications:

Heavy duty high voltage portable power cable for use in circuits not exceeding the rated voltage. These cables are used for heavy mobile equipment such as drag lines, shovels, dredges, drills, other off-track equipment, and for power feeders in underground mines. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

### Conductors

Flexible tinned copper

### Strand Shield

Semi-conducting layer.

### Insulation

90°C Ethylene-Propylene rubber (EPR)

# Insulation Shielding

Semi-conducting layer under tinned copper and color coded nylon braid.

# Ground Check Conductor

Flexible tinned copper with yellow insulation (1)

### **Ground Wires**

Flexible tinned copper.

### Assembly

Rubber fillers and tape.

### Jacket

Two layer reinforced CPE with permanent surface marking (2).

	Po	wer Cond	luctors	Groun	ding C	onductor			Approx.	Ampacity (5)
Size AWG/ MCM		of Wires onductor (4)	Insulation Thickness Mils	Size AWG	of Wi	num No. res per ductor	Jacket Thickness Mils	Nominal Diameter In. (3)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
4	259	7x37	150	8	133	7x19	205	1.94	2180	122
2	259	7x37	150	6	133	7x19	220	2.12	2830	159
1	259	7x37	150	5	133	7x19	220	2.21	3350	184
1/0	266	19x14	150	4	259	7x37	220	2.32	3590	211
2/0	342	19x18	150	3	259	7x37	235	2.46	4190	243
4/0	532	19x28	150	1	259	7x37	250	2.75	5660	321
250	627	19x33	150	1/0	266	19x14	250	2.89	6740	355
350	888	37x24	150	2/0	342	19x18	280	3.20	8460	435
500	1221	37x33	150	4/0	532	19x28	295	3.56	10700	536

(1) Ground Check- 8 AWG (minimum 133 strand 7x19) ground check conductor on 4 AWG through 4/0 AWG cable. 6 AWG

(minimum 133 strand 7x19) ground check conductor on 250 MCM and larger cable.

- (2) Jacket- Black is standard. Colored jackets available on request. Thermoplastic polyurethane (TPU) also available.
- (3) Diameters- Subject to plus 8% minus 5% tolerance.
- (4) Alternate strand constructions for power conductors: 1/0 AWG through 4/0 AWG 259 wire 37x7 4/0 AWG through 500 MCM 427 wire 61x7
- (5) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.



# **Three Conductor Type SHD-GC**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 3 conductor round type SHD-GC shielded power cable with ethylene-propylene rubber insulation for use at a maximum continuous conductor temperature of 90°C. These cables are intended for use as power feeders on AC surface equipment such as drag lines, shovels, drills and in underground mines as portable power feeders.
- STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-172

ASTM B-33

- 3. CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Semi-conducting layer over the conductor, meeting requirements of Par 3.14 of ICEA S-75-381.
- 5. **INSULATION** The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/nylon braid applied over a lapped semi-conducting tape on each conductor. The nylon in the shielding braid, is colored black, white, and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2. A full tinned copper braid shield with 84% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.1, can be furnished to order.
- 7. GROUNDING CONDUCTORS The grounding conductors shall be annealed tin coated copper of not less than the size and number of wires in Table 3-24 of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. GROUND CHECK CONDUCTOR The ground check conductor shall be as given in Table 3-21 of ICEA S-75-381 for the corresponding power conductor sizes except that we shall use 6 AWG in lieu of 8 AWG minimum on 250 MCM and larger. A minimum of 133 strands of annealed copper shall be used. The conductor shall have yellow polypropylene insulation. Larger than standard size ground check conductors can be furnished when desired and/or necessary due to operating conditions.
- 9. ASSEMBLY CORE Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a tinned copper grounding conductor in each of the other two valleys, with cured rubber fillers as required to make an essentially round core. A synthetic binder and a single faced rubber filled binder tape will be applied overall, so that it will adhere to the underside of the outer jacket.
- 10. JACKET A reinforced thermosetting jacket shall be extruded over the assembly in accordance with Table 3-21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-21, and tolerance in accordance with ICEA S-75-381 Par. 3.22.2.
- 12 SURFACE LEGEND Shall be embossed in the jacket showing 8KV 3/C (size) Type SHD-GC MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS

Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHD-GC

15,000 Volts

# Applications:

Heavy duty high voltage portable power cable for use in circuits not exceeding the rated voltage. These cables are used for heavy mobile equipment such as drag lines, shovels, dredges, drills, other off-track equipment, and for power feeders in underground mines. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

### Conductors

Flexible tinned copper

### Strand Shield

Semi-conducting layer.

### Insulation

90°C Ethylene-Propylene rubber (EPR)

### Insulation Shielding

Semi-conducting layer under tinned copper and color coded nylon braid.

# Ground Check Conductor

8 AWG 7x19 wire flexible tinned copper with yellow insulation

### **Ground Wires**

Flexible tinned copper.

### Assembly

Rubber fillers and tape.

### Jacket

Two layer reinforced CPE with permanent surface marking (1).

	Po	wer Cond	luctors	Groun	ding Co	onductor			Approx.	Ampacity (3)
Size AWG/ MCM	per Co	of Wires onductor (4)	Insulation Thickness Mils	Size AWG		um No. res per uctor	Jacket Thickness Mils	Nominal Diameter In. (2)	Weight Ibs. per 1,000 ft.	40° C Ambient Temp.
2	259	7X37	210	6	133	7x19	235	2.41	3500	164
1	259	7X37	210	5	133	7x19	235	2.52	4080	187
1/0	266	19X14	210	4	259	7x37	250	2.64	4610	215
2/0	342	19X18	210	3	259	7x37	250	2.73	4890	246
4/0	532	19X28	210	1	259	7x37	265	3.05	6820	325

- (1) Jacket- Black is standard. Colored jackets available on request. Thermoplastic polyurethane (TPU) also available.
- (2) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.
- (4) Alternate strand constructions for power conductors: 1/0 AWG through 4/0 AWG 259 wire 37x7 4/0 AWG 427 wire 61 x7



# **Three Conductor Type SHD-GC**

# **SPECIFICATIONS**

- 1. SCOPE This specification describes 3 conductor round type SHD-GC shielded power cable with ethylene-propylene rubber insulation for use at a maximum continuous conductor temperature of 90°C. These cables are intended for use as power feeders on AC surface equipment such as drag lines, shovels, drills and in underground mines as portable power feeders.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8 ICEA S-75-381/NEMA WC-58 ASTM B-172 ASTM B-33

- CONDUCTORS Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. **CONDUCTOR SHIELDING** Extruded semi-conducting thermoset material, meeting requirements of Par. 3.14 of ICEA S-75-381.
- 5. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/nylon braid applied over a lapped semi-conducting tape on each conductor. The nylon in the shielding braid, is colored black, white and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2. A full tinned copper braid shield with 84% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.1, can be furnished to order.
- 7. GROUNDING CONDUCTORS The grounding conductors shall be annealed tin coated copper of not less than the size and number of wires in Table 3-24 of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. **GROUND CHECK CONDUCTOR** The ground check conductor shall be as given in Table 3-21 of ICEA S-75-381 for the corresponding power conductor sizes. A minimum of 133 strands of annealed copper shall be used. The conductor shall have a yellow polypropylene insulation. Larger than standard size ground check conductors can be furnished when desired and/or necessary due to operating conditions.
- 9. ASSEMBLY CORE Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a bare tinned copper grounding conductor in each of the other two valleys, with cured rubber fillers as required to make an essentially round core. A synthetic binder and a single faced rubber filled binder tape will be applied overall, so that it will adhere to the underside of the outer jacket.
- 10. JACKET A reinforced thermosetting jacket shall be extruded over the assembly in accordance with Table 3-21 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE. All jackets meet the requirements of ICEA S-75-381 Table 3-3, and have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-21, and tolerance in accordance with ICEA S-75-381 Par. 3.22.2.
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 15KV 3/C (size) Type SHD-GC MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type SHD-GC

25,000 Volts

# Applications:

Heavy duty high voltage portable power cable for use in circuits not exceeding the rated voltage. These cables are used for heavy mobile equipment such as drag lines, shovels, dredges, drills, other off-track equipment. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors

Flexible tinned copper

### Strand Shield

Semi-conducting layer

# Insulation

90°C Ethylene-Propylene rubber (EPR)

### Insulation Shielding

Semi-conducting layer under tinned copper and color coded nylon braid.

# Ground Check Conductor 8 AWG 7x19 wire flexible

tinned copper with yellow insulation

# **Ground Wires**

Flexible tinned copper.

# Assembly

Rubber fillers and tape

### Jacket

Two layer reinforced CPE with permanent surface marking (1).

	Pow	er Con	ductors	Groun	ding C	onductor			Approx.	Ampacity (3)
Size AWG/ MCM	Wire	of es per ductor	Insulation Thickness Mils	ation Minimum No mess Size of Wires per		ires per	Jacket Thickness Mils	Nominal Diameter In. (2)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
1	259	7x37	260	5	133	7x19	265	2.95	5320	191
1/0	259	37x7	260	4	259	7x37	265	3.05	5840	218
2/0	259	37x7	260	3	259	7x37	280	3.20	6550	249
3/0	259	37x7	260	2	259	7x37	280	3.33	7250	286
4/0	259	37x7	260	1	259	7x37	295	3.50	8350	327

- (1) Jacket- Black is standard. Colored jackets available on request. Thermoplastic polyurethane (TPU) also available.
- (2) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.



# **Three Conductor Type SHD-GC**

# **SPECIFICATIONS**

- SCOPE This specification describes 3 conductor round type SHD-GC shielded power cable with ethylene-propylene rubber insulation for use at a
  maximum continuous conductor temperature of 90°C. These cables are intended for use as power feeders on AC surface
  equipment such as drag lines and shovels.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-172

ASTM B-33

- 3. **CONDUCTORS** Annealed tin coated rope stranded conductors in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material, meeting requirements of Par. 3.14 of ICEA S-75-381.
- 5. **INSULATION** The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 3-21 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. CIRCUIT IDENTIFICATION AND SHIELDING The shielding system shall consist of a tinned copper/nylon braid applied over a lapped semi-conducting tape which is over an extruded insulation shield on each conductor. The nylon in the shielding braid is colored black, white and red for easy identification. The shielding braid shall provide a 60% minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.2. A full tinned copper braid shield with 84%minimum coverage in accordance with ICEA S-75-381 Par. 3.19.1.1 can be furnished to order. The semi-conducting layer meets both ICEA S-75-381 Appendix E and AEIC requirements for strippability.
- 7. **GROUNDING CONDUCTORS** The grounding conductors shall be annealed tin coated copper of not less than the size and number of wires in Table 3-24 of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. GROUND CHECK CONDUCTOR The ground check conductor shall be as given in Table 3-21 of ICEA S-75-381 for the corresponding power conductor sizes. A minimum of 133 strands of annealed copper shall be used. The conductor shall have a yellow polypropylene insulation. Larger than standard size ground check conductors can be furnished when desired and/or necessary due to operating conditions.
- 9. ASSEMBLY CORE Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Table 3-5 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a tinned copper grounding conductor in each of the other two valleys, with cured rubber fillers as required to make an essentially round core. A synthetic binder and a single faced rubber filled binder tape will be applied overall, so that it will adhere to the underside of the outer jacket.
- 10. JACKET A reinforced thermosetting jacket shall be extruded over the assembly in accordance with Table 3-21 of ICEA S-75-381. Table 3-3, and have a smooth dense surface that is highly resistant to chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 3-21, and tolerance in accordance with ICEA S-75-381 Par. 3.22.2.
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 25KV 3/C (size) Type SHD-GC MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type MP-GC Mine Power Feeder

CPE Jacket, 5,000 Volts, 100% or 133% Level, (Grounded or Ungrounded)

# Applications:

Connections between units of mine distribution systems. For use up to 5,000 volts when installed in duct, conduit or open air and for direct burial in wet and dry locations. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

# Conductors Copper

Strand Shield
Semi-conducting layer

# Insulation

90°C Ethylene-Propylene rubber

# Insulation Shielding

Semi-conducting layer under .005" copper tape

(Phase identification provided)

# **Ground Check**

8 AWG 7 wire copper with yellow insulation.

# Ground Wires Copper.

Fillers (4)

Binder Tape

# Jacket

CPE with permanent surface marking (1).

	Power Cond	ductors	Groun	ding Conductor			Approx.	Ampacity (3
Size AWG/ MCM	No. of Wires per Conductor	Insulation Thickness Mils		Minimum No. of Wires per Conductor	Jacket Thickness Mils	Nominal Diameter In. (2)	Weight Ibs. per 1,000 ft.	40° C Ambient Temp.
4	7	90	8	7	110	1.32	1240	122
2	7	90	6	7	110	1.45	1670	159
1	19	90	5	7	110	1.53	1940	184
1/0	19	90	4	7	110	1.63	2300	211
2/0	19	90	3	7	110	1.74	2730	243
4/0	19	90	1	19	140	2.00	3940	321
250	37	90	1/0	19	140	2.13	4620	355
350	37	90	2/0	19	140	2.35	5940	435
500	37	90	4/0	19	140	2.64	8160	536

- (1 ) Jacket- Black is standard. Colored jackets available on request
- (2) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.
- (4) Cured rubber fillers are standard.



## Three Conductor Type MP-GC Mine Power Feeder

#### **SPECIFICATIONS**

- SCOPE This specification covers type MP-GC copper tape shielded mine power feeder cable with a ground check, rated at 5000 volts 100% and 133% insulation levels. Maximum continuous conductor temperature 90°C (194°F). These cables are for use as connections between units of mine distribution systems at nominal AC voltages up to 5000 volts.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-8

ASTM B-33

- CONDUCTORS Class B stranded annealed un-coated copper in accordance with ICEA and ASTM.
- CONDUCTOR SHIELDING Extruded semi-conducting thermoset material, in accordance with Par. 3.14 of ICEA S-75-381.
- 5. **INSULATION** The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 4-2 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. SHIELDING AND CIRCUIT IDENTIFICATION Semi-conductive tape applied helically and lapped over a semi-conductive coating. Color of print identifying the tape as "semiconducting" also indicates phase identification, and a .005" annealed copper tape applied helically and lapped. An alternate Extruded Insulation Shielding system is available. It consists of an extrusion of a semi-conducting thermoset material directly over the insulation and overall a .005" annealed copper tape is applied helically and lapped. Phase identification is provided by a color coded marker tape under the copper tape. This shielding system provides radial stress distribution that is symmetrical and corona free. The conducting layer meets both ICEA S-75-381 Par. 4.5, and AEIC requirements for strippability and corona.
- 7. **GROUNDING CONDUCTORS** The grounding conductors shall be annealed tin coated Class B copper not less than the size shown in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. GROUND CHECK CONDUCTOR The ground check conductor shall be as given in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes, and consist of 7 strands of annealed copper with yellow polypropylene insulation.
- 9. ASSEMBLY Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Par. 4.7 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a tinned copper grounding conductor in each of the other two valleys in continuous contact with the metallic shields. Synthetic rope fillers to make an essentially round core and overall, a single faced rubber filled binder tape is applied overlapped. (Cured rubber fillers can be furnished when specified).
- 10. JACKET A thermosetting jacket shall be extruded over the assembly to the outside diameters shown in Table 4-2 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Par. 4.8 and Table 3-3. They have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 4-2 and tolerances shall meet the requirement of ICEA S-75-381 Par. 4.9.
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 5KV (size) MP-GC sunlight resistant MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type MP-GC Mine Power Feeder

CPE Jacket, 8,000 Volts, 100% Level, (Grounded)

#### Applications:

Connections between units of mine distribution systems. For use up to 8,000 volts when installed in duct conduit or open air and for direct burial in wet and dry locations. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

### Conductors

Copper

#### Strand Shield

Semi-conducting layer

#### Insulation

90°C Ethylene-Propylene rubber

#### Insulation Shielding

Semi-conducting layer under
.005" copper tape
(Phase identification provided)

#### **Ground Check**

8 AWG 7 wire copper with yellow insulation.

#### **Ground Wires**

Copper.

Fillers (4)

#### Binder Tape

#### Jacket

CPE with permanent surface marking (1).

Power Conductors		<b>Grounding Conductor</b>				Approx.	Ampacity (3)	
Size AWG/ MCM	No. of Wires per Conductor	Insulation Thickness Mils	Size AWG	Number of Wires per Conductor	Jacket Thickness Mils	Nominal Diameter In. (2)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
4	7	115	8	7	110	1.43	1440	122
2	7	115	6	7	110	1.55	1760	159
1	19	115	5	7	110	1.65	2070	184
1/0	19	115	4	7	140	1.75	2440	211
2/0	19	115	3	7	140	1.88	2940	243
4/0	19	115	1	19	140	2.12	4130	321
250	37	115	1/0	19	140	2.25	4760	355
350	37	115	2/0	19	140	2.46	6090	435
500	37	115	4/0	19	140	2.75	8360	536

- (1) Jacket- Black is standard. Colored jackets available on request.
- (2) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover
- (4) Cured rubber fillers are standard.



## Three Conductor Type MP-GC Mine Power Feeder

#### **SPECIFICATIONS**

- SCOPE This specification covers type MP-GC copper tape shielded mine power feeder cable with a ground check, rated at 8,000 volts 100% insulation level. Maximum continuous conductor temperature 90°C (194°F). These cables are for use as connections between units of mine distribution systems at nominal AC voltages up to 8,000 volts.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-8

ASTM B-33

- 3. CONDUCTORS Class B stranded annealed un-coated copper in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material, in accordance with Par. 3.14 of ICEA S-75-381.
- 5. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 4-3 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. SHIELDING AND CIRCUIT IDENTIFICATION Semi-conductive tape applied helically and lapped over a semi-conductive coating. Color of print identifying the tape as "semiconducting" also indicates phase identification, and a .005" annealed copper tape applied helically and lapped. An alternate Extruded Insulation Shielding system is available. It consists of an extrusion of a semi-conducting thermoset material directly over the insulation and overall a .005" annealed copper tape is applied helically and lapped. Phase identification is provided by a color coded marker tape under the copper tape. This shielding system provides radial stress distribution that is symmetrical and corona free. The conducting layer meets both ICEA S-75-381 Par. 4.5, and AEIC requirements for strippability and corona.
- 7. GROUNDING CONDUCTORS The grounding conductors shall be annealed tin coated Class B copper not less than the size shown in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. **GROUND CHECK CONDUCTOR** The ground check conductor shall be as given in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes, and consist of 7 strands of annealed copper with yellow polypropylene insulation.
- 9. ASSEMBLY Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Par.4.7 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a tinned copper grounding conductor in each of the other two valleys in continuous contact with the metallic shields. Synthetic rope fillers to make an essentially round core and overall, a single faced rubber filled binder tape is applied overlapped. (Cured rubber fillers can be furnished when specified).
- 10. JACKET A thermosetting jacket shall be extruded over the assembly to the outside diameters shown in Table 4-3 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Par. 4.8 and Table 3-3. They have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 4-3 and tolerances shall meet the requirement of ICEA S-75-381 Par. 4.9.
- 12. SURFACE LEGEND Shall be embossed in the jacket showing 8KV (size) grounded MP-GC sunlight resistant MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type MP-GC Mine Power Feeder

CPE Jacket, 15,000 Volts, 100% Level, (Grounded)

#### Applications:

Connections between units of mine distribution systems. For use up to 15,000 volts when installed in duct, conduit or open air and for direct burial in wet and dry locations. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

#### Conductors

Copper

#### Strand Shield

Semi-conducting layer

#### Insulation

90°C Ethylene-Propylene rubber

#### Insulation Shielding

Semi-conducting layer under
.005" copper tape
(Phase identification provided)

#### **Ground Check**

8 AWG 7 wire copper with yellow insulation.

#### **Ground Wires**

Copper.

Fillers (4)

**Binder Tape** 

#### Jacket

CPE with permanent surface marking (1).

	Power Conductors			<b>Grounding Conductor</b>			Approx.	Ampacity (3)
Size AWG/ MCM	No. of Wires per Conductor	Insulation Thickness Mils	The second secon	Number of Wires per Conductor	Jacket Thickness Mils	Nominal Diameter In. (2)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
2	7	175	6	7	140	1.88	2280	164
1	19	175	5	7	140	1.98	2460	187
1/0	19	175	4	7	140	2.05	2780	215
2/0	19	175	3	7	140	2.15	3290	246
4/0	19	175	1	19	140	2.40	4600	325
250	37	175	1/0	19	140	2.50	4990	359
350	37	175	2/0	19	140	2.75	6380	438
500	37	175	4/0	19	170	3.10	8770	536

- (1) Jacket- Black is standard. Colored jackets available on request.
- (2) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.
- (4) Cured rubber fillers are standard.



## Three Conductor Type MP-GC Mine Power Feeder

#### **SPECIFICATIONS**

- 1. SCOPE This specification covers type MP-GC copper tape shielded mine power feeder cable with a ground check rated at 15,000 volts 100% insulation level. Maximum continuous conductor temperature 90°C (194°F). These cables are for use as connections between units of mine distribution systems at nominal AC voltages up to 15,000 volts.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-8 ASTM B-33

- CONDUCTORS Class B stranded annealed un-coated copper in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material. In accordance with Par. 3.14 of ICEA S-75-381.
- 5. INSULATION The insulation shall be ethylene-propylene rubber (EPR) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 4-4 of ICEA S-75-381. The minimum thickness of insulation shall not be less that 90% of the specified average value.

- 6. SHIELDING AND CIRCUIT IDENTIFICATION Semi-conductive tape applied helically and lapped over a semi-conductive coating. Color of print identifying the tape as "semiconducting" also indicates phase identification, and a .005" annealed copper tape applied helically and lapped. An alternate Extruded Insulation Shielding system is available. It consists of an extrusion of a semi-conducting thermoset material directly over the insulation and overall a .005" annealed copper tape is applied helically and lapped. Phase identification is provided by a color coded marker tape under the copper tape. This shielding system provides radial stress distribution that is symmetrical and corona free. The conducting layer meets both ICEA S-75-381 Par. 4.5, and AEIC requirements for strippability and corona.
- 7. **GROUNDING CONDUCTORS** The grounding conductors shall be annealed tin coated Class B copper not less than the size shown in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes.
- **8. GROUND CHECK CONDUCTOR** The ground check conductor shall be given in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes, and consist of 7 strands of annealed copper with yellow polypropylene insulation.
- 9. ASSEMBLY Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Par. 4.7 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a tinned copper grounding conductor in each of the other two valleys in continuous contact with the metallic shields. Synthetic rope fillers to make an essentially round core and overall, a single faced rubber filled binder tape is applied overlapped. (Cured rubber fillers can be furnished when specified).
- 10. JACKET A thermosetting jacket shall be extruded over the assembly to the outside diameters shown in Table 4-4 of ICEA S-75-381. The standard jacket for all sizes is extra-heavy-duty black CPE or colors can be provided. All jackets meet the requirements of ICEA S-75-381 Par. 4.8 and Table 3-3. They have a smooth dense surface that is highly resistant to cutting, abrasion, chemicals, sunlight and flame. It has excellent resistance to heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 4-4 and tolerances shall meet the requirements of ICEA S-75-381 Par. 4.9.
- SURFACE LEGEND Shall be embossed in the jacket showing 15KV (size) grounded MP-GC sunlight resistant MSHA.
   Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type MP-GC Mine Power Feeder

PVC Jacket, 5,000 Volts, 100% or 133% Level, (Grounded or Ungrounded)

#### Applications:

Connections between units of mine distribution systems. For use up to 5,000 volts when installed in duct, conduit or open air and for direct burial in wet and dry locations. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

#### Conductors

Copper

#### Strand Shield

Semi-conducting layer

#### Insulation

90°C Cross-linked polyethylene

#### Insulation Shielding

Semi-conducting layer under
.005" copper tape
(Phase identification provided)

#### **Ground Check**

8 AWG 7 wire copper with yellow insulation.

#### **Ground Wires**

Copper.

Fillers (3)

#### **Binder Tape**

#### Jacket .

Polyvinyl Chloride (PVC) with permanent surface marking.

Power Conductors			<b>Grounding Conductor</b>				Approx.	Ampacity (2)
Size AWG/ MCM	No. of Wires per Conductor	Insulation Thickness Mils	Size AWG	Number of Wires per Conductor	Jacket Thickness Mils	Nominal Diameter In. (1)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
4	7	90	8	7	110	1.32	1190	122
2	7	90	6	7	110	1.45	1540	159
1	19	90	5	7	110	1.53	1780	184
1/0	19	90	4	7	110	1.63	2100	211
2/0	19	90	3	7	110	1.74	2490	243
4/0	19	90	1	19	140	2.00	3670	321
250	37	90	1/0	19	140	2.13	4260	355
350	37	90	2/0	19	140	2.35	5630	435

- (1) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Cured rubber fillers are standard.
- (2) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover



## Three Conductor Type MP-GC Mine Power Feeder

#### **SPECIFICATIONS**

- 1. SCOPE This specification covers Type MP-GC copper tape shielded mine power feeder cable with a ground check, rated at 5000 volts 100 and 133% insulation levels. Maximum continuous conductor temperature 90°C (194°F). These cables are for use as connections between units of mine distribution systems at nominal AC voltages up to 5000 volts.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-8

ASTM B-33

- 3. CONDUCTORS Class B stranded annealed un-coated copper in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material in accordance with Par. 3.14 of ICEA S-75-381.
- 5. INSULATION The insulation shall be Cross-linked polyethylene (XLP) extruded insulation.

The average thickness of insulation wall over the conductor shall be as specified in Table 4-2 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. SHIELDING AND CIRCUIT IDENTIFICATION Semi-conductive tape applied helically and lapped over a semi-conductive coating. Color of print identifying the tape as "semiconducting" also indicates phase identification, and a .005" bare annealed copper tape applied helically and lapped.
- GROUNDING CONDUCTORS The grounding conductors shall be annealed Class B copper not less than the size shown in Table 4-1
  of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. **GROUND CHECK CONDUCTOR** The ground check conductor shall be as given in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes, and consist of 7 strands of annealed copper with yellow polypropylene insulation.
- 9. ASSEMBLY Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Par. 4.7 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a copper grounding conductor in each of the other two valleys in continuous contact with the metallic shields, suitable fillers to make an essentially round core and overall, a single faced rubber filled binder tape is applied overlapped.
- 10. JACKET A thermoplastic jacket shall be extruded over the assembly to the outside diameters shown in Table 4-2 of ICEA S-75-381. The standard jacket color for all sizes is black polyvinyl chloride (PVC), in accordance with ICEA S-75-381 Table 4-7. Colors can be provided. All jackets meet the requirements of ICEA S-75-381 Par.4.8. The PVC compounds used are highly resistant to chemicals, sunlight, flame, heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 4-2 and tolerances shall meet the requirements of ICEA S-75-381 Par. 4.9.
- 12. SURFACE LEGEND Shall be a permanent indent marking in the jacket showing 5KV (size) MP-GC sunlight resistant MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type MP-GC Mine Power Feeder

PVC Jacket, 8,000 Volts, 100% Level, (Grounded)

#### Applications:

Connections between units of mine distribution systems. For use up to 8,000 volts when installed in duct, conduit or open air and for direct burial in wet and dry locations. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

#### Conductors

Copper

#### Strand Shield

Semi-conducting layer

#### Insulation

90°C Cross-linked polyethylene

#### Insulation Shielding

Semi-conducting layer under .005" copper tape

(Phase identification provided)

#### **Ground Check Conductor**

8 AWG 7 wire copper with yellow insulation.

#### **Ground Wires**

Copper.

Fillers (3)

Binder Tape

#### Jacket

Polyvinyl Chloride (PVC) with permanent surface marking.

Power Conductors			<b>Grounding Conductor</b>				Approx.	Ampacity (2)
Size AWG/ MCM	No. of Wires per Conductor	Insulation Thickness Mils		Minimum No. of Wires per Conductor	Jacket Thickness Mils	Nominal Diameter In. (1)	Weight lbs. per 1,000 ft.	40° C Ambient Temp.
4	7	115	5	7	110	1.43	1300	122
2	7	115	6	7	110	1.55	1680	159
1	19	115	5	7	110	1.65	1940	184
1/0	19	115	4	7	140	1.75	2280	211
2/0	19	115	3	7	140	1.88	2730	243
4/0	19	115	1	19	140	2.12	3830	321
250	37	115	1/0	19	140	2.25	4430	355
350	37	115	2/0	19	140	2.46	5700	435

(1) Diameters- Subject to plus 8% minus 5% tolerance.

(3) Cured rubber fillers are standard.

(2) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.



## Three Conductor Type MP-GC Mine Power Feeder

#### **SPECIFICATIONS**

- 1. SCOPE This specification covers type MP-GC copper tape shielded mine power feeder cable with a ground check, rated at 8,000 volts 100% insulation level. Maximum continuous conductor temperature 90°C (194°F). These cables are for use as connections between units of mine distribution systems at nominal AC voltages up to 8,000 volts.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-8

ASTM B-33

- 3. CONDUCTORS Class B stranded annealed un-coated copper in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material in accordance with Par. 3.14 of ICEA S-75-381.
- 5. INSULATION The insulation shall be Cross-linked polyethylene (XLP) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 4.3 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. SHIELDING AND CIRCUIT IDENTIFICATION Semi-conductive tape applied helically and lapped over a semi-conductive coating. Color of print identifying the tape as "semiconducting" also indicates phase identification, and a .005" bare annealed copper tape applied helically and lapped.
- GROUNDING CONDUCTORS The grounding conductors shall be annealed Class B copper not less than the size shown in Table 4-1
  of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. **GROUND CHECK CONDUCTOR** The ground check conductor shall be given in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes, and consist of 7 strands of annealed copper with yellow polypropylene insulation.
- 9. ASSEMBLY Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Par. 4.7 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a copper grounding conductor in each of the other two valleys in continuous contact with the metallic shields, suitable fillers to make an essentially round core and overall, a single faced rubber filled binder tape is applied overlapped.
- **10. JACKET** A thermoplastic jacket shall be extruded over the assembly to the outside diameters shown in Table 4-3 of ICEA S-75-381. The standard jacket color for all sizes is black polyvinyl chloride (PVC), in accordance with ICEA S-75-381 Table 4-7. Colors can be provided. All jackets meet the requirements for ICEA S-75-381 Par. 4.8. The PVC compounds used are highly resistant to chemicals, sunlight, flame, heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 4.3 and tolerances shall meet the requirements of ICEA S-75-381 Par. 4.9.
- 12. SURFACE LEGEND Shall be a permanent indent marking in the jacket showing 8KV (size) grounded MP-GC sunlight resistant MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.



# Three Conductor Type MP-GC Mine Power Feeder

PVC Jacket, 15,000 Volts, 100% Level, (Grounded)

#### Applications:

Connections between units of mine distribution systems. For use up to 15,000 volts when installed in duct, conduit or open air and for direct burial in wet and dry locations. Recommended maximum continuous conductor temperature is 90°C.

Cable carries "MSHA" marking indicating listing by the Mine Safety and Health Administration and the Pennsylvania Department of Environmental Resources.

Mining Cable meets or exceeds ICEA Standards S-68-516 & S-75-381.

#### Conductors

Copper

#### Strand Shield

Semi-conducting layer

#### Insulation

90°C Cross-linked polyethylene

#### Insulation Shielding

Semi-conducting layer under .005" copper tape (Phase identification provided)

#### Ground Check Conductor

8 AWG 7 wire copper with yellow insulation.

#### **Ground Wires**

Copper.

#### Fillers (3)

Binder Tape

#### Jacket -

Polyvinyl Chloride (PVC) with permanent surface marking.

Power Conductors		<b>Grounding Conductor</b>				Approx.	Ampacity (2)	
Size AWG/ MCM	No. of Wires per Conductor	Insulation Thickness Mils	Size AWG	Number of Wires per Conductor	Jacket Thickness Mils	Nominal Diameter In. (1)	Weight Ibs. per 1,000 ft.	40° C Ambient Temp.
2	7	175	6	7	140	1.88	2100	164
1	19	175	5	7	140	1.98	2370	187
1/0	19	175	4	7	140	2.05	2640	215
2/0	19	175	3	7	140	2.15	3060	246
4/0	19	175	1	19	140	2.40	4220	325
250	37	175	1/0	19	140	2.50	4790	359
350	37	175	2/0	19	140	2.75	6160	438
500	37	175	4/0	19	140	3.10	8350	536

- (1) Diameters- Subject to plus 8% minus 5% tolerance.
- (3) Cured rubber fillers are standard.
- (2) Ampacity- Based on continuous duty at 90°C conductor temperature. For other ampacity ratings under various conditions, see portable power cable ampacities table Inside Back Cover.



## Three Conductor Type MP-GC Mine Power Feeder

#### **SPECIFICATIONS**

- 1. SCOPE This specification covers type MP-GC copper tape shielded mine power feeder cable with a ground check, rated at 15,000 volts 100% insulation level. Maximum continuous conductor temperature 90°C (194°F). These cables are for use as connections between units of mine distribution systems at nominal AC voltages up to 15,000 volts.
- 2. STANDARDS

ICEA S-68-516/NEMA WC-8

ICEA S-75-381/NEMA WC-58

ASTM B-8

ASTM B-33

- CONDUCTORS Class B stranded annealed un-coated copper in accordance with ICEA and ASTM.
- 4. CONDUCTOR SHIELDING Extruded semi-conducting thermoset material in accordance with Par. 3.14 of ICEA S-75-381.
- 5. **INSULATION** The insulation shall be Cross-linked polyethylene (XLP) extruded insulation.

The average thickness of the insulation wall over the conductor shall be as specified in Table 4-4 of ICEA S-75-381. The minimum thickness of insulation shall not be less than 90% of the specified average value.

- 6. SHIELDING AND CIRCUIT IDENTIFICATION Semi-conductive tape applied helically and lapped over a semi-conductive coating. Color of print identifying the tape as "semiconducting" also indicates phase identification, and a .005" bare annealed copper tape applied helically and lapped.
- GROUNDING CONDUCTORS The grounding conductors shall be annealed Class B copper not less than the size shown in Table 4-1
  of ICEA S-75-381 for the corresponding power conductor sizes.
- 8. **GROUND CHECK CONDUCTOR** The ground check conductor shall be given in Table 4-1 of ICEA S-75-381 for the corresponding power conductor sizes, and consist of 7 strands of annealed copper with yellow polypropylene insulation.
- 9. ASSEMBLY Three power conductors shall be cabled together with a left-hand lay meeting the requirements of Par. 4.7 of ICEA S-75-381. The ground check conductor shall be laid in the valley between the black and white power conductors and a copper grounding conductor in each of the other two valleys in continuous contact with the metallic shields, suitable fillers to make an essentially round core and overall, a single faced rubber filled binder tape is applied overlapped.
- 10. JACKET A thermoplastic jacket shall be extruded over the assembly to the outside diameters shown in Table 4-4 of ICEA S-75-381. The standard jacket color for all sizes is black polyvinyl chloride (PVC), in accordance with ICEA S-75-381 Table 4-7. Colors can be provided. All jackets meet the requirements for ICEA S-75-381 Par.4.8. The PVC compounds used are highly resistant to chemicals, sunlight, flame, heat, moisture and the oils commonly used in mining applications.
- 11. OUTSIDE DIAMETER Shall be in accordance with ICEA S-75-381 Table 4-4 and tolerances shall meet the requirements of ICEA S-75-381 Par. 4.9.
- 12. SURFACE LEGEND Shall be a permanent indent marking in the jacket showing 15KV (size) grounded MP-GC sunlight resistant MSHA. Additional information can be furnished on the surface legend to special order.
- 13. TESTS Cable shall be tested in accordance with applicable ICEA requirements.





		-
77		



## 90° C. Ampacities

For portable cables based on continuous conductor temperature of 90°C (194°F) at an ambient temperature of 40°C.

				Ampe	res per Co	nductor (1)				
	S	Single Condu	ictor		Two Conductor Round and Flat	Three Conductor Round and Flat	Three	Conductor R	ound	Four Conductor
Size AWG MCM	0-2,000 Volts Unshielded	2,001- 8,000 Volts* Shielded	8,001- 15,000 Volts* Shielded	15,001- 25,000 Volts* Shielded	0-2,000 Volts	0-5,0000 Volts Unshielded	8,000 Volts Shielded	8,001- 15,000 Volts Shielded	15,001- 25,000 Volts Shielded	0-2,000 Volts
8	83	-	-	-	72	59	_	_	-	54
6	109	112	10-	i: 1 → 1	95	79	93			72
4	145	148			127	104	122	-	V	93
3	167	171	15		145	120	140	( <del></del>	0-3	106
2	192	195	195	_	167	138	159	164	178	122
1	223	225	225	222	191	161	184	187	191	143
1/0	258	260	259	255	217	186	211	215	218	165
2/0	298	299	298	293	250	215	243	246	249	192
3/0	345	345	343	337	286	249	279	283	286	221
4/0	400	400	397	389	328	287	321	325	327	255
250	445	444	440	430	363	320	355	359	360	280
350	552	549	543	529	436	394	435	1	1-	335
500	695	688	678	659	524	487	536	1—	_	395

<sup>(1)</sup> Tables reproduced from standards publication ICEA S-68-516, NEMA WC-8.

#### **Correction Factors**

For ampacities for various ambient temperatures above or below 40°C.

Ambient Temp. Degrees C	Correction Factors 90°C
10	1.26
20	1.18
30	1.10
40	1.00
50	90

#### **Reel Correction Factors**

\*These ampacities are based on single isolated cable in

For use with ampacities when one or more layers of cable are wound on a reel. (1)

Number of Layers	Multiplying Correction Factors				
1	0.85				
2	0.65				
3	0.45				
4	0.35				

(1) Tables reproduced from Standards publicatio ICEA S-68-516, NEMA WC-8.

air operated with open-circuited shield.